

```

1  insheet using "${par_path}\parameters_MT_model2.csv", clear
2  mkmat estimate, matrix(beta)
3
4  insheet using "${par_path}\vres_MT_model2.csv", clear
5  mkmat v, matrix(var)
6
7  insheet using "${par_path}\bound_MT.csv", clear
8  mkmat m, matrix(m)
9
10
11  use "${out_path}\temp_MT.dta", clear
12  sort sa0100 sa0010 im0100
13
14  gen x2 = 0 if _n == 1
15  gen x1 = $seed if _n == 1
16
17  replace x1 = mod(x1[_n-1]*20077 + 12345,2^16) if _n>1
18  replace x2 = mod(int((x1[_n-1]*20077 + 12345 - x1)/2^16)+mod(16838*x1[_n-1]+20077*x2[_n-1],2^16),2^15) if _n>1
19
20  gen double z=2^16*x2+x1
21  format z %16.0g
22
23  gen u=z/2^31
24
25  gen cfood = hi0100*12
26  gen crest0 = hi0200*12
27  gen i_food = (hi0100 > 0)
28  gen l_cfood = log(max(cfood,1))
29  gen l_cresto = log(max(crest0,1))
30  gen head_male = (ra0200 == 1)
31  gen owner_or_free = (inlist(hb0300,1,2,4))
32  gen hysize_1 = (dh0001 == 1)
33  gen hysize_3 = (dh0001 >= 3)
34  gen number_children_1 = (number_children == 1)
35  gen number_children_2 = (number_children == 2)
36  gen number_children_3 = (number_children >= 3)
37  gen labour_status_1 = (inlist(pe0100a,1,2))
38  gen labour_status_2 = (inlist(pe0100a,3,4,6,7,8,9))
39  gen labour_status_3 = (pe0100a == 5)
40
41  /* computing quintiles */
42  forvalues i = 1/5{
43      _pctile di2000 if im0100 == `i' [weight=hw0010], nq(5)
44      gen q1_`i' = r(r1)
45      gen q2_`i' = r(r2)
46      gen q3_`i' = r(r3)
47      gen q4_`i' = r(r4)
48  }
49
50  gen q1 = (q1_1+q1_2+q1_3+q1_4+q1_5)/5
51  gen q2 = (q2_1+q2_2+q2_3+q2_4+q2_5)/5
52  gen q3 = (q3_1+q3_2+q3_3+q3_4+q3_5)/5
53  gen q4 = (q4_1+q4_2+q4_3+q4_4+q4_5)/5
54
55  gen income_quintile_1 = (di2000 <= q1)
56  gen income_quintile_2 = (di2000 > q1 & di2000 <= q2)
57  gen income_quintile_3 = (di2000 > q2 & di2000 <= q3)
58  gen income_quintile_4 = (di2000 > q3 & di2000 <= q4)
59  gen income_quintile_5 = (di2000 > q4)
60
61  gen lbound = hi0100+hi0200
62  gen ubound = m[1,1]
63  gen a = log(lbound)
64  gen b = log(ubound)
65  #delimit ;
66  gen Xbeta = beta[1,1]+beta[2,1]*l_cfood+beta[3,1]*l_cfood^2+beta[4,1]*l_cfood^3
67              +beta[5,1]*income_quintile_2+beta[6,1]*income_quintile_3+beta[7,1]*
income_quintile_4+beta[8,1]*income_quintile_5
68              +beta[9,1]*l_cfood*income_quintile_2+beta[10,1]*l_cfood^2*
income_quintile_2+beta[11,1]*l_cfood^3*income_quintile_2
69              +beta[12,1]*l_cfood*income_quintile_3+beta[13,1]*l_cfood^2*
income_quintile_3+beta[14,1]*l_cfood^3*income_quintile_3

```

```
70      +beta[15,1]*l_cfood*income_quintile_4+beta[16,1]*l_cfood^2*
income_quintile_4+beta[17,1]*l_cfood^3*income_quintile_4
71      +beta[18,1]*l_cfood*income_quintile_5+beta[19,1]*l_cfood^2*
income_quintile_5+beta[20,1]*l_cfood^3*income_quintile_5
72      +beta[21,1]*l_cresto+beta[22,1]*l_cresto^2+beta[23,1]*l_cresto^3
73      +beta[24,1]*head_male
74      +beta[25,1]*owner_or_free
75      +beta[26,1]*hhsize_1+beta[27,1]*hhsize_3
76      +beta[28,1]*labour_status_2+beta[29,1]*labour_status_3 ;
77 #delimit cr
78
79 gen Phi_a = normal((a-Xbeta)/sqrt(var[1,1]))
80 gen Phi_b = normal((b-Xbeta)/sqrt(var[1,1]))
81
82 gen di3001 = round(exp(Xbeta + invnormal((Phi_a + (Phi_b - Phi_a)*u))*sqrt(var[1,1])))
83 keep sa0100 sa0010 im0100 di3001
84 save "${out_path}\temp_MT.dta", replace
85
```